

Durham Research Online

Deposited in DRO:

20 July 2022

Version of attached file:

Other

Peer-review status of attached file:

Peer-reviewed

Citation for published item:

Pons, Marie-Laure and Millet, Marc-Alban and Nowell, Geoff N. and Misra, Sambuddha and Williams, Helen M. (2022) 'Correction: Precise measurement of selenium isotopes by HG-MC-ICPMS using a 76–78 double-spike.', Journal of Analytical Atomic Spectrometry, 37 (7). pp. 1587-1588.

Further information on publisher's website:

https://doi.org/10.1039/D2JA90030K

Publisher's copyright statement:

This article is licensed under a Creative Commons Attribution 3.0 Unported Licence.

Additional information:

Use policy

 $The full-text\ may\ be\ used\ and/or\ reproduced,\ and\ given\ to\ third\ parties\ in\ any\ format\ or\ medium,\ without\ prior\ permission\ or\ charge,\ for\ personal\ research\ or\ study,\ educational,\ or\ not-for-profit\ purposes\ provided\ that:$

- a full bibliographic reference is made to the original source
- a link is made to the metadata record in DRO
- the full-text is not changed in any way

The full-text must not be sold in any format or medium without the formal permission of the copyright holders.

Please consult the full DRO policy for further details.

JAAS

CORRECTION

Check for updates

Cite this: J. Anal. At. Spectrom., 2022, 37, 1587

Correction: Precise measurement of selenium isotopes by HG-MC-ICPMS using a 76–78 double-spike

ROYAL SOCIETY OF **CHEMISTRY**

View Article Online

Marie-Laure Pons,^{*ab} Marc-Alban Millet,^c Geoff N. Nowell,^d Sambuddha Misra^{ae} and Helen M. Williams^a

DOI: 10.1039/d2ja90030k

rsc.li/jaas

Correction for 'Precise measurement of selenium isotopes by HG-MC-ICPMS using a 76–78 double-spike' by Marie-Laure Pons *et al., J. Anal. At. Spectrom.*, 2020, **35**, 320–330, https://doi.org/10.1030/c9ja00331b.

The authors regret an error in Fig. 1. The correct figure is as follows:



Fig. 1 Schematic representation of all the possible spike–sample mixtures investigated in our triple spike Monte-Carlo simulation. All compositions are enclosed in a tetrahedron where the top apex is the standard composition (*i.e.*, natural stable isotope composition) and base apexes (light grey area) are the individual spikes. In this tetrahedron, sections parallel to the base (represented in dark grey) contain all possible triple spike mixtures mixed with the same amount of natural sample.

"The University of Cambridge, Department of Earth Sciences, Downing St, Cambridge CB2 3EQ, UK. E-mail: dr.marie.laure.pons@gmail.com

^bCNRS, Aix Marseille Univ, IRD, INRA, Coll France, CEREGE, 13545, Aix en Provence, France

^cCardiff University, School of Earth and Ocean Sciences, Main Building, Park Pl, Cardiff CF10 3AT, UK

^dDurham University, Department of Earth Sciences, Elvet Hill, Durham DH1 3LE, UK

eIndian Institute of Science, Centre for Earth Sciences, Bengaluru, India

The authors also regret an error in the graphical abstract image. The correct graphical abstract image is as follows:



The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.